KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1

## Budget 1G LE Blend: Sour Tangie

kca

Sample ID: SA-241105-51483 Batch: 1232 Ype: Finished Product - Inhalable Aatrix: Concentrate - Distillate Jnit Mass (g):		Received: 11/05/2024 Completed: 12/11/2024		Client budget. 11885 44th St N Clearwater, FL 33762 USA	
			Summary		
			Test Cannabinoids	Date Tested 12/11/2024	<b>Status</b> Tested
	Bund F5 Dang C 1235				
ND	36.4 %	85.9 %	Not Tested	Not Tested	Yes
Д9-ТНС	∆8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization
annabinoids b	v HPLC-PDA	and GC-MS/MS			
	y HPLC-PDA	and GC-MS/MS		Result	Result
	y HPLC-PDA	LOD	LOQ (%)	Result (%)	Result (mg/g)
nalyte	y HPLC-PDA	LOD (%)	(%)	(%)	(mg/g)
nalyte <sup>3C</sup>	y HPLC-PDA	LOD (%) 0.0095	<b>(%)</b> 0.0284	(%) ND	
nalyte BC BCA	y HPLC-PDA	<b>LOD</b> (%) 0.0095 0.0181	(%) 0.0284 0.0543	(%) ND ND	(mg/g) ND ND
nalyte BC BCA BCV	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006	(%) 0.0284 0.0543 0.018	(%) ND ND ND	(mg/g) ND ND ND
nalyte BC BCA BCV BD	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081	(%) 0.0284 0.0543 0.018 0.0242	(%) ND ND ND 9.41	(mg/g) ND ND ND 94.1
nalyte BC BCA BCV BD BDA	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043	(%)     0.0284     0.0543     0.018     0.0242     0.013	(%) ND ND 9.41 ND	(mg/g) ND ND ND 94.1 ND
nalyte BC BCA BCV BD BDA BDA BDV	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061	(%)     0.0284     0.0543     0.018     0.0242     0.013     0.0182	(%) ND ND 9.41 ND ND ND	(mg/g) ND ND 94.1 ND ND ND
halyte BC BCA BCV BD BDA BDV BDVA	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063	(%) ND ND 9.41 ND ND ND ND	(mg/g) ND ND 94.1 ND ND ND ND
nalyte BC BCA BCV BD BDA BDV BDVA BCVA BG	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0021 0.0057	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172	(%) ND ND 9.41 ND ND ND ND ND	(mg/g) ND ND 94.1 ND ND ND ND ND
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0021 0.0057 0.0049	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147	(%) ND ND 9.41 ND ND ND ND ND ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND
nalyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0021 0.0057 0.0049 0.0112	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335	(%) ND ND 9.41 ND ND ND ND ND ND ND ND	(mg/g) ND ND 94.1 ND ND ND ND ND ND ND ND
nalyte BC BCA BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371	(%) ND ND ND 9.41 ND ND ND ND ND ND ND ND ND ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND ND ND
nalyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA BN	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169	(%) ND ND ND 9.41 ND ND ND ND ND ND ND ND ND ND ND ND ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND ND ND 8.70
nalyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA BN BNA	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181	(%) ND ND ND 9.41 ND ND ND ND ND ND ND ND ND ND ND ND ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND ND ND ND ND ND
nalyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA BN BNA BNA BT	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169	(%) ND ND ND 9.41 ND ND ND ND ND ND ND ND ND ND ND ND ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND ND ND 8.70
nalyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA BN BNA BT 4,8-iso-THC	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.008	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054	(%) ND ND ND 9.41 ND ND ND ND ND ND ND ND ND ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND ND ND ND ND 2.18
nalyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BLA BLA BLA BNA BT 4,8-iso-THC B-iso-THC	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.006	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054   0.02	(%) ND ND ND 9.41 ND ND ND ND ND ND ND ND ND ND ND 0.870 ND 0.218 ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND ND ND ND ND 2.18 ND
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BL BLA BLA BN BNA BT 4,8-iso-THC 8-iso-THC 8-THC	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0067 0.0067	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054   0.02	(%) ND ND ND 9.41 ND ND ND ND ND ND ND ND ND ND 0.870 ND 0.218 ND 0.106	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND ND ND 2.18 ND 1.06
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BLA BLA BNA BT 4,8-iso-THC 8-iso-THC 8-THC 8-THC 8-THCV	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0067 0.0067 0.0067 0.0104	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054   0.02   0.02   0.0312	(%) ND ND 9.41 ND ND ND ND ND ND ND ND 0.870 ND 0.218 ND 0.218 ND 0.106 36.4	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND ND 8.70 ND 2.18 ND 1.06 364
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BL BLA BLA BN BNA BT 4,8-iso-THC 8-iso-THC 8-iso-THC 8-THC 8-THCV 9-THC	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0076	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054   0.02   0.02   0.0312   0.02	(%) ND ND 9.41 ND ND ND ND ND ND ND 0.870 ND 0.218 ND 0.218 ND 0.106 36.4 0.131	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND ND 2.18 ND 2.18 ND 1.06 364 1.31
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BL BLA BLA BN BNA BT 4,8-iso-THC 8-iso-THC 8-iso-THC 8-THCV 9-THC 9-THCA	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0067 0.0067 0.0067 0.0104 0.0067	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054   0.02   0.02   0.0312   0.02   0.027   0.0251	(%) ND ND ND 9.41 ND ND ND ND ND ND ND ND 0.870 ND 0.218 ND 0.218 ND 0.218 ND 0.106 36.4 0.131 ND 0.118	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND 2.18 ND 1.06 364 1.31 ND 1.18
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BL BLA BLA BNA BT 4,8-iso-THC 8-iso-THC 8-iso-THC 8-THCV 9-THC 9-THCA 9-THCV	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0076 0.0084 0.0069	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054   0.02   0.02   0.0312   0.02   0.027   0.0251   0.0206	(%) ND ND ND 9.41 ND ND ND ND ND ND ND 0.870 ND 0.218 ND 0.218 ND 0.218 ND 0.106 36.4 0.131 ND 0.118 ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND 2.18 ND 2.18 ND 1.06 364 1.31 ND 1.06 364 1.31 ND
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BL BLA BLA BLA BNA BT 4,8-iso-THC 8-iso-THC 8-iso-THC 8-THCV 9-THC 9-THCA 9-THCV 9-THCV 9-THCV	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0067 0.0067 0.0067 0.0067 0.0067 0.0076 0.0084 0.0069 0.0062	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054   0.02   0.02   0.0312   0.02   0.027   0.0251   0.0266   0.0186	(%) ND ND ND 9.41 ND ND ND ND ND ND ND 0.870 ND 0.218 ND 0.218 ND 0.218 ND 0.106 36.4 0.131 ND 0.118 ND ND ND ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND ND 2.18 ND 1.06 364 1.31 ND 1.18 ND 1.18 ND ND
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BL BLA BN BNA BT 4,8-iso-THC 8-THC 8-THC 8-THC 9-THC 9-THCA 9-THCV 9-THCV 9-THCVA xo-THC	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0076 0.0084 0.0069 0.0062 0.0067	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054   0.02   0.02   0.0312   0.02   0.027   0.0251   0.0266   0.0186   0.02	(%) ND ND ND 9.41 ND ND ND ND ND ND ND 0.870 ND 0.218 ND 0.218 ND 0.218 ND 0.106 36.4 0.131 ND 0.118 ND ND ND ND ND ND ND ND ND ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND 2.18 ND 2.18 ND 1.06 364 1.31 ND 1.06 364 1.31 ND 1.18 ND ND ND ND ND ND ND ND ND ND
BC BCA BCA BCV BD BDA BDV BDVA BC BCA BLA BLA BLA BN BNA BT 4,8-iso-THC 8-THC 8-THC 8-THCV 9-THC 9-THCA 9-THCV 9-THCV 9-THCVA xo-THC 5aR,9R,10aR)-HHC	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0055 0.006 0.018 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0069 0.0062 0.0067 0.0067 0.0067	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054   0.02   0.02   0.0312   0.02   0.021   0.0251   0.0266   0.0186   0.02   0.02	(%) ND ND ND 9.41 ND ND ND ND ND ND 0.870 ND 0.218 ND 0.218 ND 0.218 ND 0.106 36.4 0.131 ND 0.106 36.4 0.131 ND 0.118 ND ND ND ND 26.5	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND 2.18 ND 1.06 364 1.31 ND 1.06 364 1.31 ND 1.18 ND 1.18 ND ND 265
Cannabinoids by malyte BC BCA BCA BCV BDA BDA BDV BDVA BDV BDVA BC BCA BL BLA BLA BLA BLA BLA BN BNA BRA BRA BRA BRA BRA BRA BRA BRA BRA BR	y HPLC-PDA	LOD (%) 0.0095 0.0181 0.006 0.0081 0.0043 0.0061 0.0021 0.0057 0.0049 0.0112 0.0124 0.0056 0.006 0.018 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0076 0.0084 0.0069 0.0062 0.0067	(%)   0.0284   0.0543   0.018   0.0242   0.013   0.0182   0.0063   0.0172   0.0147   0.0335   0.0371   0.0169   0.0181   0.054   0.02   0.02   0.0312   0.02   0.027   0.0251   0.0266   0.0186   0.02	(%) ND ND ND 9.41 ND ND ND ND ND ND ND 0.870 ND 0.218 ND 0.218 ND 0.218 ND 0.106 36.4 0.131 ND 0.118 ND ND ND ND ND ND ND ND ND ND	(mg/g) ND ND ND 94.1 ND ND ND ND ND ND ND 2.18 ND 2.18 ND 1.06 364 1.31 ND 1.06 364 1.31 ND 1.18 ND ND ND ND ND ND ND ND ND ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THCA \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

1 **IC-MR** Luce PJLA Generated By: Ryan Bellone Tested By: Scott Caudill nh Testin CCO Laboratory Manager ISO/IEC 17025:2017 Accredited Accreditation #108651 Date: 12/11/2024 Date: 12/11/2024

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories are provide measurement uncertainty upon request.