KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Budget 1G HHC: Watermelon Zkittles

kca

ample ID: SA-241105-51473 Batch: 1212 ype: Finished Product - Inhalable Matrix: Concentrate - Distillate Jnit Mass (g):		Received: 11/05/2024 Completed: 11/20/2024		Client budget. 11885 44th St N Clearwater, FL 33762 USA	
			Summary Test Cannabinoids	Date Tested 11/20/2024	Status Tested
ND	59.8 %	87.0 %	Not Tested	Not Tested	Yes
Total ∆9-THC	(6aR,9R,10aR)-HHC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization
		Total Cannabinoids	Moisture Content	Foreign Matter	
Cannabinoids	(6aR,9R,10aR)-HHC	Total Cannabinoids	Moisture Content	Foreign Matter Result (%)	
Cannabinoids	by GC-MS/MS	LOD	LOQ	Result	Normalization
Cannabinoids malyte BC	by GC-MS/MS	LOD (%)	LOQ (%)	Result (%)	Normalization Result (mg/g)
cannabinoids nalyte BC BD	by GC-MS/MS	LOD (%) 0.0095	LOQ (%) 0.0284	Result (%) ND	Normalization Result (mg/g) ND
cannabinoids nalyte BC BD BDV	by GC-MS/MS	LOD (%) 0.0095 0.0081	LOQ (%) 0.0284 0.0242	Result (%) ND ND	Normalization Result (mg/g) ND ND ND
Cannabinoids malyte BC BD BDV BG	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061	LOQ (%) 0.0284 0.0242 0.0182	Result (%) ND ND ND ND	Normalization Result (mg/g) ND ND ND ND ND
Cannabinoids malyte BC BD BDV BG BN	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057	LOQ (%) 0.0284 0.0242 0.0182 0.0172	Result (%) ND ND ND ND ND ND	Normalization Result (mg/g) ND ND ND ND ND ND ND
Cannabinoids analyte BC BD BDV BG BN BT	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057 0.0056	LOQ (%) 0.0284 0.0242 0.0182 0.0172 0.0169	Result (%) ND ND ND ND ND 0.0934	Normalization Result (mg/g) ND ND ND ND ND ND 0.934
Cannabinoids Analyte BC BDV BC BDV BC BN BT 44,8-iso-THC	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057 0.0056 0.018	LOQ (%) 0.0284 0.0242 0.0182 0.0172 0.0169 0.054	Result (%) ND ND ND ND 0.0934 ND	Normalization Result (mg/g) ND ND ND ND ND 0.934 ND
Cannabinoids analyte BC BD BDV BG BN BT 4,8-iso-THC 8-iso-THC	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057 0.0056 0.018 0.0087	LOQ (%) 0.0284 0.0242 0.0182 0.0172 0.0169 0.054 0.02	Result (%) ND ND ND ND 0.0934 ND ND ND	Normalization Result (mg/g) ND ND ND ND ND 0.934 ND ND ND ND
Cannabinoids malyte BC BD BDV BC BDV BC BN BT 4,8-iso-THC 8-iso-THC 8-iso-THC 8-THC	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057 0.0056 0.018 0.0067 0.0067 0.0067	LOQ (%) 0.0284 0.0242 0.0182 0.0172 0.0169 0.054 0.02 0.02	Result (%) ND ND ND ND ND 0.0934 ND ND	Normalization Result (mg/g) ND ND ND ND 0.934 ND ND ND ND ND
Cannabinoids analyte BC BD BDV BG BN BT 4,8-iso-THC 8-iso-THC 8-THC 8-THC	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057 0.0056 0.018 0.0067 0.0067 0.0067 0.0067 0.0067	LOQ (%) 0.0284 0.0242 0.0182 0.0172 0.0169 0.054 0.02 0.02 0.02 0.02 0.0312	Result (%) ND ND ND ND 0.0934 ND ND ND ND ND 0.0851	Normalization Result (mg/g) ND ND ND ND 0.934 ND 0.934 ND ND ND ND 0.851
Cannabinoids Analyte CBC CBD CBDV CBC CBDV CBC CBN CBT A4,8-iso-THC A8-iso-THC A8-iso-THC A8-THC A8-THCV A9-THC	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057 0.0056 0.018 0.0067 0.0067 0.0067 0.0104 0.0067	LOQ (%) 0.0284 0.0242 0.0182 0.0172 0.0169 0.054 0.02 0.02 0.02 0.0312 0.02	Result (%) ND ND ND ND 0.0934 ND ND ND ND ND ND 0.0851 ND	Normalization Result (mg/g) ND ND ND ND 0.934 ND ND ND ND 0.851 ND
	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057 0.0056 0.018 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0076	LOQ (%) 0.0284 0.0242 0.0182 0.0172 0.0169 0.054 0.02 0.02 0.02 0.0312 0.02 0.02 0.0227	Result (%) ND ND ND ND 0.0934 ND ND ND ND ND 0.0851 ND ND ND ND	Normalization Result (mg/g) ND ND ND ND 0.934 ND ND ND ND 0.851 ND ND ND ND ND
Cannabinoids Analyte CBC CBD CBDV CBC CBC CBDV CBC CBC CBDV CBC CBC CBC CBDV CBC CBC CBC CBC CBC CBC CBC CBC CBC CB	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057 0.0056 0.018 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0067 0.0076 0.0069	LOQ (%) 0.0284 0.0242 0.0182 0.0172 0.0169 0.054 0.02 0.02 0.02 0.0312 0.02 0.02 0.0227 0.0206	Result (%) ND ND ND ND ND 0.0934 ND ND ND ND ND ND ND ND ND ND ND ND ND	Normalization Result (mg/g) ND ND ND ND 0.934 ND ND ND ND 0.851 ND ND ND ND ND ND ND ND
Cannabinoids Analyte CBC CBD CBDV CBC CBDV CBC CBDV CBC CBDV CBC CBDV CBC CBDV CBC CBDV CBC CBC CBDV CBC CBC CBC CBDV CBC CBC CBC CBC CBC CBC CBC CBC CBC CB	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057 0.0056 0.018 0.0067 0.0067 0.0067 0.0067 0.0067 0.0076 0.0069 0.0069	LOQ (%) 0.0284 0.0242 0.0182 0.0172 0.0169 0.054 0.02 0.02 0.02 0.0312 0.02 0.021 0.0227 0.0206 0.02	Result (%) ND ND ND ND ND 0.0934 ND ND ND ND ND 0.09351 ND ND	Normalization Result (mg/g) ND ND ND ND 0.934 ND ND ND ND 0.851 ND ND ND ND ND ND ND ND ND ND ND
Cannabinoids Analyte CBC CBD CBDV CBC CBC CBDV CBC CBC CBDV CBC CBC CBC CBDV CBC CBC CBC CBC CBC CBC CBC CBC CBC CB	by GC-MS/MS	LOD (%) 0.0095 0.0081 0.0061 0.0057 0.0056 0.018 0.0067 0.0067 0.0067 0.0067 0.0076 0.0069 0.0067 0.0067 0.0067	LOQ (%) 0.0284 0.0242 0.0182 0.0172 0.0169 0.054 0.02 0.02 0.02 0.021 0.02 0.0227 0.0206 0.02 0.02 0.02	Result (%) ND ND ND ND ND 0.0934 ND ND ND ND ND 0.09351 ND ND ND<	Normalization Result (mg/g) ND ND ND ND 0.934 ND ND ND ND 0.851 ND ND ND ND ND ND ND ND ND ND S98

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 11/20/2024

Tested By: Scott Caudill Laboratory Manager Date: 11/20/2024





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.